

FLEXIGUARD™
ENGINEERED MODULAR UNIT



MODULAR. MOBILE. ROTATIONAL.

A System As Versatile As You Need It To Be



MODULAR SYSTEM

Change configuration
as your needs change

LIGHTWEIGHT DESIGN

Move easily with pallet jack
or forklift

360° MAST ROTATION

Locking pin holes every
11 degrees



FLEXIGUARD™ ENGINEERED MODULAR UNIT

VERSATILITY ISN'T JUST A WORD WE USE – THIS IS THE REAL DEAL.

- Installed Glide 360 Rail provides a 5 ft (1.53m) offset and includes (1) trolley rated for one user
- 360° Rotation Mast allows for a 6 ft (1.8m) working radius from the anchor point
- All hardware Zinc Plated or Stainless Steel
- Powder Coated in Safety Yellow
- Fixed or adjustable height configurations
- Steel and Aluminum construction; strong, lightweight and cost-effective
- OSHA Compliant



Rotational locking pin can either prevent rotation completely or limit the rotation to a specified range using magnetic stop tabs. Adjustments can be made every 11 degrees.




IMAGINE THE POSSIBILITIES!



Anywhere an Overhead Anchorage Point is Needed for Fall Protection

The latest from the Flexiguard™ product line is the highly customizable Engineered Modular Unit (EMU). This modular system is designed for easy adjustment and maximizing flexibility without sacrificing safety.

The lightweight design allows for easy mobility around the jobsite with a pallet jack or forklift. With three adjustable height models and one fixed height version plus three mounting options, there is a configuration to fit virtually any need.



MODULAR SOLUTIONS PROVIDE THE RIGHT COMPONENTS FOR YOUR APPLICATION.

Adjustable Height Jib Configurations

Height Adjustment
Jib Assembly Options

8530557

10'-15' (3.05m-4.57m)
Anchor Height

8530558

13'-20' (3.96m-6.1m)
Anchor Height

8530559

15'-25' (4.57m-7.62m)
Anchor Height



Fixed Height Jib

8530571

21' (6.4m)
Anchor Height



Multiple Base Configurations

8530564

Concrete Floor Mount

Plate Base

1' 3" x 1' 3" (.38m x .38m)

Base Depth

1' 10-11/16" (.58m)

Above Ground Height

4' 7-1/4" (1.40m)



Any Jib -----

Post -----

Base Plate -----



8530565

Top Floor Mount

Plate Base

1' 3-3/4" x 1' 3-3/4" (.40m x .40m)

Overall Height

4' 8-11/16" (1.44m)



Any Jib -----

Post -----

Base Plate -----



8530566

5,000 lb (2,268kg)
Counterweight Base

Plate Base

4' 6" x 4' 6" (.46m x .46m)

Base (with Jack Leveling Kit)

6' 3-3/4" x 4' 6" (1.92m x 1.37m)

Overall Height (Including Insert)

4' 7-1/4" (1.40m)



Any Jib -----

Post -----

Counterweight Base -----



Accessory

8530563

Jack Leveling Kit



capital
SAFETY